

fg
1101
D2S2
1884Z
Bot.

317.3

Department of the Interior,
CENSUS OFFICE.

SIXTEEN MAPS

ACCOMPANYING

REPORT ON FOREST TREES OF NORTH AMERICA,


BY

PROF. C. S. SARGENT.










MAP
SHOWING THE DISTRIBUTION OF THE
GENERA CARYA & UMBELLULARIA
[THE HICKORIES & CALIFORNIA LAUREL]
IN
NORTH AMERICA
EXCLUSIVE OF MEXICO
Prepared under the direction of
C. SARGENT SPEELAGANT

LEGEND
I Carya 1 Species
II 2
III 3
IV 4
V 5
VI 6
VII 7
VIII 8
Umbellularia Californica



MAP
SHOWING THE DISTRIBUTION OF THE
GENUS JUGLANS (THE WALNUTS)
NORTH AMERICA
EXCLUSIVE OF MEXICO
Prepared under the direction of
CASSIUS SPILLMANT





MAP
SHOWING THE DISTRIBUTION OF THE
GENERA CASTANEA & CASTANOPSIS
[THE CHESTNUTS & CHINQUAPINS]
IN
NORTH AMERICA
EXCLUSIVE OF MEXICO
Prepared under the direction of
C. SARGENT, SPECIAL AGENT.

LEGEND
Castanea 1 Species
Castanea 2
Castanopsis chrysophylla










MAP
SHOWING THE DISTRIBUTION OF
LIRIODENDRON TULIPIFERA
AND **PINUS LAMBERTIANA**
IN
NORTH AMERICA
EXCLUSIVE OF MEXICO.
Prepared under the direction of
C. SARGENT, SPECIAL AGENT.

LEGEND

 Liriodendron Tulipifera (Yellow Poplar)

 Pinus Lambertiana (Sugar Pine)

Note: The darkest shade shows the region of greatest concentration.



MAP
SHOWING THE DISTRIBUTION OF
PROSOPIS JULIFLORA, QUERCUS ALBA
AND Q. DENSIFLORA
IN
NORTH AMERICA
EXCLUSIVE OF MEXICO
Prepared under the direction of
CASSAIGT SPECIAL AGENT

LEGEND
Prosopis juliflora (Mesquite)
Quercus alba (White Oak)
Quercus densiflora (Chesnut Oak)

Note: The darkest shade shows the region of Prosopis juliflora.

Compiled under the direction of Henry Osborn, U.S.G.



MAP
SHOWING THE DISTRIBUTION OF
FRAXINUS AMERICANA & PINUS PONDEROSA
IN
NORTH AMERICA
EXCLUSIVE OF MEXICO.
Prepared under the direction of
C.S. SARGENT, SPECIAL AGENT.

LEGEND.

-  Fraxinus Americana (White Ash)
-  Pinus ponderosa (Yellow Pine)

Note. The darkest shade shows the region of greatest development







MAP
SHOWING THE DISTRIBUTION OF THE
GENERA THUJA, TAXODIUM AND SEQUOIA
IN
NORTH AMERICA
EXCLUSIVE OF MEXICO.
Prepared under the direction of
C. S. SARGENT, SPECIAL AGENT.

LEGEND.


- Thuja occidentalis (White Cedar)
- Taxodium distichum (Cypress)
- Sequoia gigantea (Big Tree)
- Taxodium sempervirens (Redwood)



Julius Blum & Co. lith. N.Y.

Scale 1 inch = 100 miles





MAP OF THE
UNITED STATES
SHOWING THE RELATIVE AVERAGE
DENSITY OF EXISTING FORESTS

Prepared under the direction of
C. S. SARGENT, SPECIAL AGENT,
1893.

LEGEND
I. Under 1 cord per acre
II. From 1 to 2
III. From 2 to 3
IV. From 3 to 4
V. From 4 to 5
VI. From 5 to 10
VII. From 10 to 20
VIII. From 20 to 30
IX. From 30 to 40
X. Over 40

